

GPWV8.E170149 - FANS, ELECTRIC CERTIFIED FOR CANADA - COMPONENT

Fans, Electric Certified for Canada - Component

See General Information for Fans, Electric Certified for Canada - Component

KNIGHT ELECTRONICS INC

E170149

10557 METRIC DR

DALLAS, TX 75243-5514 USA

Models OD8015-12LB, OD8015-12HB, OD5010-12MB, OD4010-12HS, OD4020-05HB, OD4020-05MB, OD4020-05LB, OD4010-05LB, OD9225-12HB01A, OD6025-12HBIP55, OD8025-12HBIP55, OD9225-12HBIP55, OD4010-05HB10A, OD8025-24HB, OD5010-12HB, OD6025-12HSS, OD6025-24HSS, OD8025-12HSS, OD1225-12HSS, OD1238-12HSS, OD1238-24MSS, OD1225-24HSS, OD1238-12HBIP55, OA1238AP-11-1TB, OA1238AP-22-1TB. All models may also be followed by alphanumeric characters.

Models OD4020-05LSS, OD4006-12HSS. All models may also be followed by alphanumeric characters.

Models OD9225-12HSSX, +OD1225-24MSS03. All models may also be followed by alphanumeric characters.

Models OD4010-05HB02A, OD3510-12HSS. All models may also be followed by alphanumeric characters.

AC fans, Models OA, OAB followed by 80, -92, -109, -119, -125, -172, -254, -800, -825, -908 or -938, followed by AN, AP, SAP, SAPL, ZN or ZP, followed by 11, 22 or 11/22, followed by 1, 2, 3 or 1/2.

AC fans, Models OA825EC-UR-1WBXC, OA80EC-UR-1WB, OA80EC-UR-1WBXC, OA92EC-UR-1WBXC, OA9232EC-UR-1WB, OA938EC-UR-1WB, OA938EC-UR-1WBXC, OA109EC-UR-1WBXC, OA125EC-UR-1WB, OA172EC-UR-1WB, OA172EC-UR-1TB.

Models OA80, OA92, OA825 followed by AP, followed by 11 or 22, followed by P X, where P may be W, T or left blank, X may be B or S and where each part number may be followed by the suffix m3.

Models 109, 172 or 125 followed by AP or SAP, may be followed by 11, followed by W, S, P or V, where W may be 22 or 11, S may be 1, 2 or 3, may be T or W, V may be B or W, and where each part number may be followed by suffix m3.

Models OA109AP-11-1WB03, OA109AP-22-1WB03. All models may also be followed by alphanumeric characters.

Models OA80, OA92, OA109, OA119, OA162, OA172, OA254, OA825, OA938 or OA9029 followed by AP, APL, SA, SAP, SAPL or 5E, followed by 1/2, 11, 22, 115, 230, followed by (X), (Y) or (Z), may be followed by the suffix M2 or RM2, where (X) may be 1, 2, 3 or blank, (Y) may be T or W or blank, (Z) may be B or S or blank.

Models OA60AP-11-1WB, OA60AP-22-1WB, OA162-5E-115-(X)(Y)(Z)R, OA162-5E-230-(X)(Y)(Z)R, OA162-5E-1/2-(X)(Y)(Z)R, OA162-5E-115-(X)(Y)(Z)-18, OA162-5E-115-(X)(Y)(Z)R-18, OA162-5E-230-(X)(Y)(Z), OA162-5E-230-(X)(Y)(Z)R-18, OA938AP-22-(X)(Y)(Z)-18, OA938AP-11-(X)(Y)(Z)-18, OA109AP-11-(X)(Y)(Z)-18, OA109AP-11-(X)(Y)(Z), OA109AP-11-(X)(Y)(Z)R, OA119AP-11-(X)(Y)(Z), OA125AP-11-(X)(Y)(Z), OA92AP-11-(X)(Y)(Z), OA825AP-11-(X)(Y)(Z), OA80AP-11-(X)(Y)(Z), OA254AP-11-(X)(Y)(Z), OA172AP-11-(X)(Y)(Z), OA172SAPL-11-(X)(Y)(Z), OA172SAP-11-(X)(Y)(Z)R, OA172SAP-11-(X)(Y)(Z), OA172SAP-22-(X)(Y)(Z), OA162SAP-11-(X)(Y)(Z), OA162AP-11-(X)(Y)(Z), OA254AP-1/2-(X)(Y)(Z), OA109AP-22(X)(Y)(Z)F-18, OA109AP-11(X)(Y)(Z)F-18, OA109AP-11(X)(Y)(Z)-18, OA109AP-22(X)(Y)(Z)-18, OA109AP-11/22-(X)(Y)(Z), OA109AP-22-(X)(Y)(Z), OA109AP-22-(X)(Y)(Z)R, OA172SAPL-1/2-(X)(Y)(Z), OA172SAP-1/2-(X)(Y)(Z), OA172SA-11-(X)(Y)(Z)F, OA254AP-11(X)(Y)(Z), OA254AP-22(X)(Y)(Z), OA9029-11(X)(Y)(Z), OA9029-22(X)(Y)(Z), OA119AP-11(X)(Y)(Z), OA119AP-22(X)(Y)(Z), OA119AP-1/2(X)(Y)(Z). All models may also be followed by alphanumeric characters.

Models OA225AN-11-(A)(B), OA225AN-22-(A)(B), OA250AN-11-(A)(B), OA250AN-22-(A)(B), SKA180-11-(A), SKA180-23-(A), OAB190-11-(A)(B), OAB190-22-(A)(B), OAB220-11-(A)(B), OAB220-22-(A)(B), where (A) may be 1, 2, 3 or blank, (B) may be WB, TB, TS, WS or blank. All models may also be followed by alphanumeric characters.

Models OA80, S80, OA92, S92, OA109, S109, OA119, S119, OA127, OA832, OA838, OA932, OA1232 may be followed by addition of suffix numbers and/or letters, followed by m0; Model PCV-1. All models may also be followed by alphanumeric characters.

Models OA150, OA150B, OA150E, OA150R, OA154, OA162, OA162E, OA162R, OA162RE, OA162S, OA162SE, OA173B, OA173E, OA173R, OA172SAPL, OA180APL, OA180AP, OA200, OA200G, OA200R, OA205, OA225, OA232, OA232R, OA250, OA254, OA254R, OA938, S938, OA125, S125, OA825, S825, OA820, OAB800, OA172E, OA172SE, OA172E, OA172R, OA172RE, OAB908, SB908 followed by AN, AP, ZN, ZP, followed by 11,

22 or 11/22, followed by 1, 2, 3, 1/2 or 2/3, followed by m0. All models may also be followed by alphanumeric characters.

Models OA3110-(A)-(B)(C)[++], OA3610-(A)(B)(C)(D)[++], OA4710-(A)(B)(C)(D)[++], OA3110-11-(A)(B)(C)[+++], OA3110-22-(A)(B)(C)[+++], OA3610-11-(A)(B)(C)[+++], OA3610-22-(A)(B)(C)[+++], OA4710-11-2-(B)(C)[+++], OA4710-2-(B)(C)[+++], OA4710-11-3(A)(B) series [##], OA4715-22-H(X)(Y) series[%%], OA4715-22-3, OA109AP-11-1TB03, OA109AP-22-1TB03, OA109AP-11-1TB04, OA109AP-22-1TB04, OA109AP-11-1WB04, OA109AP-22-1WB04. All models may also be followed by alphanumeric characters.

Models OD4006, OD4007, OD4010, OD4018, OD4020, OD6025, OD8015, OD8020, OD8025, SD9215, SD9220, SD9225, OD2510 followed by -05H, -05M, -05L, -12H, -12M, -12L, -24H, -24M, -24L, followed by m0. All models may also be followed by alphanumeric characters.

Models OD1225, ODB600 followed by -05H, -05M, -05L, -12H, -12M, -12L, -24H, -24M, -24L, -38H, -38M, -38L, -48H, -48M, -48L, followed by m0. All models may also be followed by alphanumeric characters.

Models OD127, OD1232, OD1238 may be followed by PT, AN, AP, ZN or ZP, followed by -05SH, -05HH, -05H, -05M, -05L, -12SH, -12HH, -12H, -12M, -12L, -24SH, -24HH, -24H, -24M, -24L, -38SH, -38HH, -38H, -38M, -38L, -48SH, -48HH, -48H, -48M or -48L, followed by WB or TB, may be followed by 5, followed by m0. All models may also be followed by alphanumeric characters.

Models OD172SAPL, OD172AP, OD172SAP, OD180APL, OD180AP, OD200 may be followed by AN, AP, ZN or ZP, followed by -12SH, -12HH, -12H, -12M, -12L, -24SH, -24HH, -24H, -24M, -24L, -38SH, -38HH, -38H, -38M, -38L, -48SH, -48HH, -48H, -48M or -48L, followed by WB or TB, may be followed by 5, followed by m0. All models may also be followed by alphanumeric characters.

Models OD5009XX, OD5012XX, OD5015XX, OD6010XX, OD6015XX, OD6020XX, ODB308L followed by -05H, -05M, -05L, -12H, -12M, -12L, -24H, -24M, -24L, -48H, -48M, -48L, followed by m0. All models may also be followed by alphanumeric characters.

Models OD6025-24HB01A, OD4028-12HB, OD4028-12HB01A, OD4020-24HB01A, OD6015-12HBX, OD6015-12HB01A, OD802512HB21GE, OD2510-05HB, OD2510-05MB, OD4010-12HB, ODB9733-12HB, OD6010-12HB, OD8032-12HB, OD8032-12HB0120, OD8032-12LB, OD8032-12MB, OD8032-12HHB, ODB1232-12HB21, ODB5009-12HB, OD1232-24HB, OD1232-24LB, OD1232-48HB, OD4510-12HB, OD1238-12HB, OD1238-12HB0120, OD1238-12HB01A, OD1238-12HS-C, OD1238-12LB, OD1238-12MB, OD1238-24HB, OD1238-24HB0120, OD1238-24HB01A, OD1238-24LB, OD1238-24MB, OD1238-48HB01A, OD8025-24MB, OD1238-48LBXC, OD6025-24HB, OD6025-24HS, OD3010-12HB, OD1238-24HBXC, OD1238-24HHBXC, OD1238-12HBXC, OD1238-12HHBXC, OD123812LBXC10, ODB9733-24HB, OD8032-24HHB, OD8025-12HB1, OD8032-24HB, OD8032-24LB, OD8032-24MB, OD1232-24MB, OD1232-24MB01, OD4020-12HHB, OD8032-48HHB, OD8032-48HB, OD8032-48MB, OD8032-48LB, OD1232-24MB02A, OD4010-24LB, OD4010-12HSS, OD4010-24HSS, OD6025-05HB, OD4010-05HB, OD4010-12MBX, OD1238-12HB0421, OD4010-12LB, OD4010-24HB, OD127-24MB, OD8038-12LBVXC, OD8038-12HBVXC02A, OD8025-12HB21, OD6010-12HB01A, OD1238-24HBIP55, OD1238-48LB02A, OD9238-24MBVXC. All models may also be followed by alphanumeric characters.

AC fans, Models OA109AP-11-1TB, OA109AP-11-1WB, OA109AP-22-1TB, OA109AP-22-1WB, OA109AP-22-1WS, OA125AP-22-1WB, OA125AP-22-2TB, OA825AP-22-1WB, OA92AP-22-1WB, OA92AP-22-2TB. All models may also be followed by alphanumeric characters.

Model OA109AP-22-2WB, All models may also be followed by alphanumeric characters.

Models OA172AP-11-1TB, OA172AP-22-1TB, OA172SAP-11-1TB, OA172SAP-22-1TB. All models may also be followed by alphanumeric characters.

Models OA180AP-11-1WB, OA180AP-22-1WB. All models may also be followed by alphanumeric characters.

AC fans, Models OD8025-12HB01A. All models may also be followed by alphanumeric characters.

DC fans, Models OD6038-12HBVXC, OD6038-12HBVXC 10A, OD8038-12HBVXC, OD8038-12HBVXC 10A, OD8038-24HBVXC, OD8038-24HBVXC 10A, OD8038-48HBVXC, OD8038-48HBVXC 10A, OD9238-12HBVXC, OD9238-12HBVXC 10A, OD9238-24HBVXC 10A, OD9238-48HBVXC, OD9238-48HBVXC 10A, OD6025-24LB, OD9225-24HB, OD9225-24MB, OD4010-24HB01A, OD1225-24HB, OD1238-24LBXC, OD4028-12HBXC01A, OD5015-12HB02A, OD1225-12MB10A21, OD9238-24HBVXC, OD402812HBXC01A. All models may also be followed by alphanumeric characters.

Models OD254AP-12HB, OD254AP-12MTB, OD254AP-12MB, OD254AP-12LTB, OD254AP-12LB, OD254AP-24HTB, OD254AP-24HB, OD254AP-24MTB, OD254AP-24MB, OD254AP-24LTB, OD254AP-24LB, OD254AP-48HTB, OD254AP-48HB, OD254AP-48MTB, OD254AP-48MB, OD254AP-48LTB, OD254AP-48LB. All models may also be followed by alphanumeric characters.

Models OD1225-12HB02A, OD1225-24HB02A, OD4020-12HB02A, OD4010-12HB02A, OD9225-12HB02A, OD9225-24HB02A, OD8025-24HB02A, OD8025-12MB. All models may also be followed by alphanumeric characters.

#OA172SAPL-22-1WB, #OA172SAPL-22-1TB, #OA172SAPL-11-1WB, #OA172SAPL-11-1TB, #OA172SAP-22-1WBXC, #OA172SAP-22-1TBXC, #OA172SAP-11-1WBXC, #OA172SAP-11-1TBXC, #OA4715-12WB, #OA4715-12TB, #OA4715-23WB, #OA4715-23TB, #OA172AP-22-1WBXC, #OA172AP-22-1TBXC, #OA172AP-11-1WBXC, #OA172AP-11-1TBXC, #OA109AP-22-1WBXC, #OA109AP-22-1TBXC, #OA109AP-11-1WBXC, #OA109AP-11-1TBXC, #OA109AP-22-3WB, #OA109AP-22-3TB, #OA109AP-11-3WB, #OA109AP-11-3TB, #OA80AP-11-1WB, #OA80AP-11-1TB, #OA80AP-22-2WB, #OA80AP-22-2TB, #OA80AP-11-2WB, #OA80AP-11-2TB, #OA5920-12WB, #OA5920-12TB, #OA5920-23WB, #OA5920-23TB. All models may also be followed by alphanumeric characters.

Model OA180AP-11-1TB. All models may also be followed by alphanumeric characters.

DC component fans, Models OD6038-24HHBXC10A, OD8015-24HB01A, OD1225-24LSS131, OD7025-12HBXC, OD7025-12HBXC01A, OD7025-24MB, OD6025-12HB02A, OD8025-24MBX, OD6025-24HBXC, OD8025-24HSS10AP, OD6015-05HB. All models may also be followed by alphanumeric characters.

DC fans, Models #OD4028-24HB, #OD1232-48MB02A, #OD1232-48LB, #OD1225-12HS, #OD8015-12MS, #OD1225-12MS, #OD8015-12LS, #OD1225-12LS, #OD6038-12HBVXC15, #OD1238-24HHB01A55, #ODB182-24HB, #OD172SAP-24HBXC01A, #OD1232-48HB-0321, #OD6038-12MBVXC04SF, #OD1232-24LB, #OD1232-24MB02A, #ODB-973348HHB01A, #OD6025-24HB01A, #OD8025-24HB04, #OD1232-24HB. All models may also be followed by alphanumeric characters.

Models OD4028-12HBIP55, OD6038-12LBVXC, ODB4507-12HB, ODB5020-24HB, OD1238-48HB, OD8038-48LBVXC01A. All models may also be followed by alphanumeric characters.

Models OD1238-12HB02A, OD1238-24HB02A, OD4020-24HB02A, OD4010-24HB02A, OD6025-24HB02A, OD8025-12HB02A, OD9238-24MBVXC01A, OD6025-12HB10A, OD6038-24HBVXC, OD6038-24MBVXC, OD6010-12HSS, OD3828-12HB. All models may also be followed by alphanumeric characters.

Electric fans, Models OD9220-12HB, OD9220-24HB, OD9225-12HB, OD9225-12LB, OD9225-12MB, OD1225-12HB, OD1225-12HBX, OD1225-12LB, OD1225-12MB, OD1225-24LB, OD1225-24MB, OD5210-12HB, OD4020-12HB, OD4020-12HBX, OD4020-12LB, OD4020-12MB, OD4020-12MS21, OD9225-24HB01A, OD9225-24HSS, OD9225-24LB, OD6015-12HB, OD6015-12LB, OD6015-24HB1717, OD6015-24HB1720, OD2510-12HB, OD6020-12HB, OD6020-24HB, OD6020-24MB, OD4010-12HS-C, OD4010-12LLB, OD4010-12MB, OD4010-24MB, OD2510-12MB, OD3010-12LB, OD4020-12HB01A, OD4020-12HB1, OD4020-24HB, OD4020-24LB, OD4020-24MB, OD8015-12MB, OD8015-24MB, OD4020-12HSS, OD4020-24HSS, OD9225-12HSS, OD4010-12HB01A, OD1225-12HB01A, OD1225-24HB01A, OD5015-12MB, OD1232-12HB, OD1232-12MB, OD6025-12HB, OD6025-12HBX, OD6025-12HB01A, OD6025-12LB, OD6025-12MB, OD6025-24MB, OD8025-12MBX, OD8025-24HBX, OD8025-24HB0120, OD8025-24LB, OD4020-12HS. All models may also be followed by alphanumeric characters.

DC Component Fans, Models OD6015-12MB. All models may also be followed by alphanumeric characters.

DC component fans, Models OD8025-24HB01A, OD6015-24HB. All models may also be followed by alphanumeric characters.

Fans, Models OA280AN-11-1TB, OA280AN-22-1TB, PCV1 210311002. All models may also be followed by alphanumeric characters.

Models OA5920-12WB (259311002), OA5920-12TB (259315002), OA5920-23WB (259611002), OA5920-23TB (259615002), OAB360-11-1, OAB360-22-1. All models may also be followed by alphanumeric characters.

Fan trays, Models FTD-06048-014-BK, FTD-06048-014-GR, FTA-06DV-014BK, FTA-06DV-014GR.

Models FTA006B0311HF, FTA006B0322HF; Model FTA017A(W)(X)(Y)(Z), where (W) may be 2 or 4, (X) may be 11 or 22, (Y) may be H, M, or L, (Z) may be F or R.

Models FTA014A(X)(Y)(Z)(W), FTA014B(V)(Y)(Z)(W), FTA014C(V)(Y)(Z)(W), FTA014D(U)(Y)(Z)(W), FTA022A(T)(Y)(Z)(W), FTA022B(V)(Y)(Z)(W), FTA022C(S)(Y)(Z)(W), FTA017B(T)(X)(Y)(Z), FTA018A(R)(Y)(Z)(W), FTA018B(Q)(Y)(Z)(W), FTA018C1(Y)(Z)(W), FTA018C2(Y)(Z)(W), FTA007A1(Y)(Z)(W), where (X) may be 1 or 2, (Y) may be 11 or 22, (Z) may be H, M, or L, (W) may be F or R, (V) may be 1 through 6, (U) may be 1 through 8, (T) may be 1 through 3, (S) may be 1 through 9, (R) may be 1 through 5, (Q) may be 3, 6, or 9.

Models FTD018A4122HFP, FTD022B4122HFP, FTD014B4122HFP.

Model FTD035A4122HFP.

Models FTD036A4122HFPS, FTD036A4122HFDP.

Models FTA018C311HF, FTA018C322HF, FTA018C611HF, FTA018C622HF.

Fans, Models OA4715-11-1WB (247311002), OA4715-22-1WB (247611002). All models may also be followed by alphanumeric characters.

Models OA180AP-11-xxx, OA180AP-22-xxx, where "xxx" may indicate electrical connection with lead wire type or terminal type. All models may also be followed by alphanumeric characters.

Thermally protected fans, Model OA Series. All models may also be followed by alphanumeric characters.

Models OD4010-05HSS, OD5010-12HSS, OD1225-12LB01A. All models may also be followed by alphanumeric characters.

Fans, Model OAB400-22-1, OAB225(X)-(Y) Series, Where (X) may be 99, 85 or 69; (Y) may be 11 or 22; OAB250-11, OAB250-22. All models may also be followed by alphanumeric characters.

Models OD7015-12MB, OD7015-12HHB01A, OD7020-12HB, OD7020-12HHB10A, OD7025-12HHB10A. . All models may also be followed by alphanumeric characters.

DC component fan, Models OD8038-48HBXE10A, OD6038-12HHBXC01A, OD6038-12LBXC01A, OD6038-12HBXC10A, OD6038-12HBXC01A, OD6038-12HHBXC10A, OD6038-24HHBXC10A55. . All models may also be followed by alphanumeric characters.

DC fan, Models OD8038-12HBXE10A, OD1238-12HBXJ01A, OD1238-12HBXJ10A, OD1238-12MBXJ01A, OD1238-12MBXJ10A, OD4020-12LB10A21, ODB7530-12HHB, OD8038-24MB, OD8015-24HB, ODB7530-24HB, OD4010-05MB, ODB7530-12HB, OD2506-12HHSS, OD2506-12HSS. . All models may also be followed by alphanumeric characters.

Models, OD8025-24MB2021, OD2510-12LB, OD2510-12LLB, OD3010-05MB, OD3010-12MB, OD3510-05MB, OD3510-05MB01A, OD3510-12MB, OD4015-12HB02A, OD5010-05LB, OD5010-05MB, OD5010-12LB, OD5015-12HB, OD8015-12HB01A, OD4010-12LSS, 83-000584-A, OD6025-12LS, 83-000610-A, OD6025-24LSS, OD8025-24LSS, OD1238-24HB01, OD1225-24LSS, OD7530-24HB. . All models may also be followed by

alphanumeric characters.

DC fan, Models OD2510-05LB, OD2510-12MB02A, OD3510-12MB02A, OD4015-12HB, OD4015-12LB, OD4015-12MB, OD5010-05MB02A, OD5010-12MB02A, OD8015-12HB02A, OD8015-12MB02A, OD8032-12HHB02A, OD9238-12MB, OD9238-24HB, ODB6015-12HHB02A, OD3010-12HB01A, ODB5020-12HBIP55, OD4028-12HBXC02A, OD6010-12LB, OD803224HB02A, OD8032-24HB01A, OD8038-24HBVXC01A2021, OD802524HBIP55, OD1238-12LBXC, OD1238-24LLBXC01A, OD1232-24MB0221, OD1232-48HB01, OD127-24MB02A, OD127-24HB. . All models may also be followed by alphanumeric characters.

DC component fan, Models OD3010-12MB02A, OD8015-24HB02A, ODB5115-12HB, ODB5115-12LB, ODB5115-12MB, OD4015-05HB, OD4015-05HB02A, OD4015-05LB, OD8032-24HHB02A, OD7025-24HHB, OD3010-05MB02A, OD4015-24HB, OD3010-05HB, OD4015-24LB, OD4015-24LB02A, OD9238-24HB02A, OD3510-05LLB, OD3510-12LLB, OD9225-12HBXC05. . All models may also be followed by alphanumeric characters.

DC fans, Models OD1238-24HB10, OD1238-24HBXJ01A. All models may also be followed by alphanumeric characters.

Model #OD6015-12HB, #OD2510-12HB01A, #OD2510-12MB01A, #OD6038-24MBVXC, #OD6038-24LBVXC. All models may also be followed by alphanumeric characters.

Models #OD1238-12MBSF, #OD1238-24HHB01A, #OD1238-12HBSF, #OD1238-24HBSF, #OD1238-24HB, #OD1238-48HBVXC10A. All models may also be followed by alphanumeric characters.

Model #OD1232-12HB02A. All models may also be followed by alphanumeric characters.

Model #OD172SAP-48HBXC-5. All models may also be followed by alphanumeric characters.

Model #OD6025-12HB, #OD6025-12HB01A, #OD6025-12HB02A, #OD6025-24HB, #OD6025-24HB02A, #OD6038-12MBVXC04IP55, #OD1232-40MB02A, #OD172AP-24HB01A, #OD172AP-24HB10A. All models may also be followed by alphanumeric characters.

DC low voltage fans, Models #ODB9330-12H(Y), #ODB9330-12M(Y), #ODB9330-12L(Y), #ODB9330-24H(Y), #ODB9330-24M(Y), #ODB9330-24L(Y), where (Y) may be B or S. All models may also be followed by alphanumeric characters.

Model #OD1238-24HBVXC10A. All models may also be followed by alphanumeric characters.

#OD1238-48HBVXC13A, #OD1238-48HBVXC02A, #OD1238-48HBVXC01A.

Model OD8025-24HSS. All models may also be followed by alphanumeric characters.

Models #OD1238-48HBVXC, #OD1238-48HHBVXC. All models may also be followed by alphanumeric characters.

DC fan, Model OD6025-12HBXC, OD8032-12HB01A20, OD6038-12HBVXC10A. All models may also be followed by alphanumeric characters.

Model, OD5010-24LB. All models may also be followed by alphanumeric characters.

Model OD1238-24HBXCX, OD1225-24HHBVXC0521. All models may also be followed by alphanumeric characters.

Fans, Models OAB318-11, OAB318-22, OA327AP-11-1WB18, OA327AP-22-1WB18, OA200EC-11-1WB, OA200EC-22-1WB. All models may also be followed by alphanumeric characters.

DC Component Fans, OD9225-12HBXC052021. All models may also be followed by alphanumeric characters.

Brushless DC fans, Model #OD5210-12HB. All models may also be followed by alphanumeric characters.

DC fan, Model OD2510-05MBIP55. All models may also be followed by alphanumeric characters.

DC fans, Models #OD1232-12HB, #OD1232-12HB1221, #OD1238-60HB, #OD3010-12HB. All models may also be followed by alphanumeric characters.

Models #OD172SAP-12HBXC, #OD172SAP-24HBXC, #OD172SAP-24HB. All models may also be followed by alphanumeric characters.

Model #OD1238-12HHB. All models may also be followed by alphanumeric characters.

Model #OD6025-60LB. All models may also be followed by alphanumeric characters.

Brushless DC fans, Models #OD6020-12MS, #OD8025-12HB, #OD9225-12LLB21, #OD8025-12HB01A21. All models may also be followed by alphanumeric characters.

DC low voltage fans, Model #OD1238-24HBVXC, #OD1238-12HBVXC. All models may also be followed by alphanumeric characters.

DC Component Fans, Models OD8025-12LB, OD8025-24MB, OD8025-12HB. All models may also be followed by alphanumeric characters.

Model OD3510-05HSS. All models may also be followed by alphanumeric characters.

Model OD6010-05LB All models may also be followed by alphanumeric characters.

DC fans, Models OD3510-12HB10A. All models may also be followed by alphanumeric characters.

DC fans, Model OD6038-24LBVXC. All models may also be followed by alphanumeric characters.

DC low voltage fans: Models #OD1238-12MBVXC10A, #OD1238-12LBVXC10A, #OD1225-12HBXC01A21. All models may also be followed by alphanumeric characters.

DC fans: Models #OD172SAP-12MB, #OD4020-24HB13. All models may also be followed by alphanumeric characters.

Model : OD9238-12LBVXC, OD4010-05LB02A. All models may also be followed by alphanumeric characters.

DC Component Fans, Model OD6025-05LB. All models may also be followed by alphanumeric characters.

Model OD6025-24HHSS. All models may also be followed by alphanumeric characters.

DC fans , Model #OD1232-12HB01, #OD172SAP-24MBXC-5, #OD172SAP-24HHBXC, #OD1238-48HHBIP55. All models may also be followed by alphanumeric characters.

Model, ODB1232-24HHB, OD9232-12HHB. All models may also be followed by alphanumeric characters.

Low voltage DC component fans, ODB250110-24HB10A, ODB250110-48HB10A, ODB22599-24HB10A, ODB22599-48HB10A, ODB22071-24HB10A, ODB22071-48HB10A, ODB19069-24HB10A, ODB19069-48HB10A, ODB17567-12HB10A, ODB17567-24HB10A, ODB17567-48HB10A, ODB13391-24HB10A, ODB13391-48HB10A, OD280AN-24LB, OD280AN-24MB, OD280AN-24HB, OD280AN-24HHB, OD280AN-48LB, OD280AN-48MB, OD280AN-48HB, OD280AN-48HHB, OD225AN-24LB, OD225AN-24MB, OD225AN-24HB, OD225AN-24HHB, OD225AN-24HBXC, OD225AN-48LB, OD225AN-48MB, OD225AN-48HB, OD225AN-48HHB, OD225AN-48HBXC. All models may also be followed by alphanumeric characters.

DC Component Fans, OD6025-24HB01AIP55, OD6025-24HB10A. All models may also be followed by alphanumeric characters.

DC fans - OD9238-12HHBXC10A, OD9238-12LBVXC10A, OD5010-24HSS. All models may also be followed by alphanumeric characters.

DC fans OD127AP-12HB01A20, OD127AP-12HTB, OD127AP-24HB01A20, OD127AP-24HTB, OD172AP-12HB, OD172AP-24HB, OD172AP-24HBXC, OD172SAP-12HB, OD172SAP-24HB, OD172SAP-24HB01A20, OD180APL-24HB, OD254AP-24HB, OD6025-24HHB, ODB600PT-12HB, ODB600PT-24HB. All models may also be followed by alphanumeric characters.

EC Fans, OA60EC-UR-1WB, OA60EC-UR-1WBIP68A, OA172EC-11-1TB, OA172EC-11-1WB, OA172EC-22-1TB, OA172EC-22-1WB, OA172EC-11-1TBIP68A, OA172EC-11-1WBIP68A, OA172EC-22-1TBIP68A, OA172EC-22-1WBIP68A, OA109EC-UR-1TB, OA109EC-UR-1WB, OA109EC-UR-1TBIP68A, OA109EC-UR-1WBIP68A. All models may also be followed by alphanumeric characters.

DC fan, Model ODB5020-24HB172021. All models may also be followed by alphanumeric characters.

Model OD4010-24LB01A. All models may also be followed by alphanumeric characters.

Models #OD6025-24MB, #OD6025-12MB, #OD6025-12LB, #OD6025-24LB, #OD4028-12HB03, #OD1238-12HHBIP5521. All models may also be followed by alphanumeric characters.

DC fans, Models #OD172AP-24HB0521, #OD1238-24HB0120, #OD8025-24HB01A, #OD9225-24HB01A, #ODB1232-12HB, #OD4010-24HB01A, #OD4020-12HB01A, #OD4020-24HB01A, #OD6015-12HB01A. All models may also be followed by alphanumeric characters.

Brushless DC fans, Models #OD5210-12HB01A, #OD8025-12LB07, #OD4028-12LLB07, #OD8025-12HB01A, #OD9225-12HB01A, #OD4010-12HB01A. All models may also be followed by alphanumeric characters.

DC low voltage fans, Model #OD1238-12HBVXC10AIP5521. All models may also be followed by alphanumeric characters.

DC component fans, Model OD6015-24LB. All models may also be followed by alphanumeric characters.

Model OD1238-24HB01A20. All models may also be followed by alphanumeric characters.

Models OD8025-24HB10A21, OD8025-24HB10A, OD6015-24MB. All models may also be followed by alphanumeric characters.

DC component fans, Model ODB6015-12HHB10A.

Models OD6025-24LB01A, OD6025-24MB01A, OD6025-24HHB01A, OD3010-05MBIP55.

[+ +] Where (A) may be 11, 23, (B) may be 1 or 2, (C) may be W or T, (D) may be S, B, or X followed by numbers and or letters.

[+ + +] Where (A) may be 1 or 2 or 3, (B) may be T or W, (C) may be B or S.

[##] Where (A) may T or W, and (B) may be B, S, or X followed by numbers and or letters.

[%%] Where (X) may be T or W, (Y) may be blank, numbers or letters.

NOTE: All models may also be followed by alphanumeric characters.

Marking: Products Recognized under the Component Program are identified by markings, consisting of the manufacturer's

identification and catalog, model or their product designation. In addition, component products of this category which are produced under the UL Component Recognition Program also bear the Recognized Component Mark for Canada



Last Updated on 2019-12-04

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"